

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A method comprising:

receiving a call of a service dialed number from a mobile device;  
determining, from the call, a subscriber identifier;  
terminating the call upon receipt of the service dialed number, and prior to the call  
being answered;  
upon the call being terminated,  
selecting a response to the call based upon the service dialed number, the  
service dialed number containing at least a first segment and a second  
segment, the first segment representing a unique code used by the mobile  
operator to route the call and the second segment representing a unique  
code that identifies the service; and  
initiating a dialog between a server identified by the first segment upon the  
selecting and the mobile device, after the call has been terminated, based  
on the selected response and the determined subscriber identifier.

2. (Cancelled)

3. (Cancelled)

4. (Previously Presented) The method of claim 1, further comprising:

determining, based upon the subscriber identifier, a set of capabilities of the mobile  
device.

5. (Original) The method of claim 4, further comprising:

selecting, based upon the set of capabilities, a format, through which the mobile device is capable of communicating, for the dialog.

6. (Original) The method of claim 5, wherein the format is two-way SMS.

7. (Original) The method of claim 1, further comprising:

selecting, based upon a first subset of the information, the server to select the response.

8. (Original) The method of claim 1, further comprising:

identifying, based upon a second subset of the information, data independent of the server and a recipient of the call.

9. (Original) The method of claim 8, wherein the data is one of a product, a location, a person, and a group of people.

10. (Previously Presented) The method of claim 1, wherein the information selected through at least one of a standard cellular phone interface, touchscreen soft buttons, and voice recognition.

11. (Original) The method of claim 1, wherein the response instructs the mobile device to connect to the server.

12. (Currently Amended) A system comprising:

a network computer telephony integrated system to receive a call to a service dialed number from a mobile device and to determine, from the call, a subscriber identifier, and to cause the call to be terminated upon receipt of the service dialed number and prior to the call being answered;

a service server to select a response to the call after the call has been terminated, based upon a service dialed number selected to address the call, the service dialed number containing at least a first segment and a second segment, the first segment representing a unique code used by the mobile operator to route the call and the second segment representing a unique code that identifies the service; and

a push server to initiate a dialog based on the selected response between the service server and the mobile device, and based on the determined subscriber identifier, after the call has been terminated.

13. (Cancelled)

14. (Cancelled)

15. (Previously Presented) The system of claim 14, wherein the push server is to determine, based upon the subscriber identifier, a set of capabilities of the mobile device.

16. (Previously Presented) The system of claim 15, wherein the push server is to select, based upon the set of capabilities, a format, through which the mobile device is capable of communicating, for the dialog.

17. (Currently Amended) The system of claim 16, wherein the format is ~~two-way~~ two-way SMS.

18. (Previously Presented) The system of claim 12, wherein the push server is to select, based upon a first subset of the information, the service server to select the response.

19. (Previously Presented) The system of claim 18, wherein a second subset of the information identifies data independent of the service server and the network computer telephony integrated system.

20. (Previously Presented) The system of claim 19, wherein the data is one of a product, a location, a person, and a group of people.

21. (Previously Presented) The system of claim 12, wherein the information is selected through at least one of a standard cellular phone interface, touchscreen soft buttons, and voice recognition.

22. (Previously Presented) The system of claim 12, wherein the response instructs the mobile device to connect to the service server.

23. (Currently Amended) A machine-readable medium that provides instructions that, when executed by a machine, cause the machine to perform operations comprising:

receiving a call from a mobile device to a service dialed number;

determining, from the call, a subscriber identifier;

terminating the call upon receipt of the service dialed number, and prior to the call being answered; and

sending information about the call to a push server to initiate a dialog between a

service server and the mobile device, the sending to cause the dialog to be

initiated after the call has been terminated, the dialog to include a response to

be selected based upon a service dialed number selected to address the call and

the determined subscriber identifier, the service dialed number containing at

least a first segment and a second segment, the first segment representing a

unique code used by the mobile operator to route the call and the second

segment representing a unique code that identifies the service.

24. (Cancelled)

25. (Cancelled)

26. (Previously Presented) The machine-readable medium of claim 23, wherein the information may be selected through a standard cellular phone interface.

27. (Previously Presented) A machine-readable medium that provides instructions that, when executed by a machine, cause the machine to perform operations comprising:

receiving, from a network computer telephony integrated system, data about a call

received from a mobile device, wherein the data is a service dialed number;

determining, from the call, a subscriber identifier;

terminating the call upon receipt of the service dialed number, and prior to the call

being answered; and

initiating a dialog between a service server and the mobile device, after the call has

been terminated and before the call is answered by the network computer

telephony integrated system, the dialog to include a response to be selected

based upon a service dialed number selected to address the call and the

determined subscriber identifier, the service dialed number containing at least a

first segment and a second segment, the first segment representing a unique

code used by the mobile operator to route the call and the second segment

representing a unique code that identifies the service.

28. (Previously Presented) The machine-readable medium of claim 27, wherein operations further comprise:

determining, based upon a subscriber identifier, a set of capabilities of the mobile device.

29. (Previously Presented) The machine-readable medium of claim 28, wherein operations further comprise:

selecting, based upon the set of capabilities, a format, through which the mobile device is capable of communicating, for the dialog.

30. (Previously Presented) The machine-readable medium of claim 29, wherein the format is two-way SMS.

31. (Previously Presented) The machine-readable medium of claim 27, wherein operations further comprise:

selecting, based upon a first subset of the information, a service server to select the response.

32. (Previously Presented) The machine-readable medium of claim 31, wherein operations further comprise:

identifying, based on a second subset of the information, a specification independent of the service server and the network computer telephony integrated system.

33. (Previously Presented) The machine-readable medium of claim 32, wherein the specification is one of a product, a location, a person, and a group of people.

34. - 75. (Cancelled).